OUTBOARD WORKSHOP SERVICE MANUAL

ALL MOTORS 2 TO 225 HP

YEARS 1988 TO 2003

CONTENTS

1	GENERAL INFORMATION AND BOATING SAFETY	
	HOW TO USE THIS MANUAL	1-2
	BOATING SAFETY	1-4
	SAFETY IN SERVICE	1-12
2	TOOLS AND EQUIPMENT	
	TOOLS AND EQUIPMENT	2-2
	TOOLS	2-5
	FASTENERS, MEASUREMENTS AND CONVERSIONS	2-14
3	MAINTENANCE	
	ENGINE MAINTENANCE	3-2
	BOAT MAINTENANCE	3-8
	TUNE-UP	3-12
	WINTER STORAGE CHECKLIST	3-35
	SPRING COMMISSIONING CHECKLIST	3-35
4	FUEL SYSTEM	
	FUEL AND COMBUSTION	4-2
	FUEL SYSTEM	4-3
	TROUBLESHOOTING	4-7
	CARBURETOR SERVICE	4-11
	REED VALVE SERVICE	4-25
	FUEL PUMP SERVICE	4-27
	ELECTRONIC FUEL INJECTION	4-32
5	IGNITION AND ELECTRICAL SYSTEMS	
	UNDERSTANDING AND TROUBLESHOOTING ELECTRICAL SYSTEMS	5-2
	BREAKER POINTS IGNITION (MAGNETO IGNITION)	5-7
	CAPACITOR DISCHARGE IGNITION (CDI) SYSTEM	5-11
	ELECTRONIC IGNITION	5-38
	CHARGING CIRCUIT	5-39
	STARTING CIRCUIT	5-45
	IGNITION AND ELECTRICAL WIRING DIAGRAMS	5-52
6	OIL INJECTION	
	OIL INJECTION SYSTEM	6-2
	COOLING SYSTEM	6-11
	OIL INJECTION WARNING SYSTEMS	6-14
	OVERHEAT WARNING SYSTEM	6-17

CONTENTS

ENGINE MECHANICAL	7-2	POWERHEAD 7
POWERHEAD RECONDITIONING	7-32	
LOWER UNIT	8-2	LOWER UNIT 8
LOWER UNIT OVERHAUL	8-6	
JET DRIVE	8-51	
MANUAL TILT	9-2	TRIM AND TILT 9
GAS ASSISTED TILT	9-2	
POWER TILT	9-3	
POWER TRIM/TILT	9-6	
REMOTE CONTROL BOX	10-2	REMOTE CONTROL 10
TILLER HANDLE	10-7	
HAND REWIND STARTER	11-2	HAND REWIND STARTER 11
OVERHEAD TYPE STARTER	11-2	
BENDIX TYPE STARTER	11-10	
GLOSSARY	11-13	GLOSSARY
INDEX	11-17	MASTER INDEX
SUPPLEMENT: DT5Y AND ADDITIONAL INFORMATION ON MOST OTHER MODELS, INCLUDING UPDATED CARBURETOR AND IGNITION SPECIFICATIONS	12-2	SUPPLEMENT

HOW TO USE THIS MANUAL 1-2
CAN YOU DO IT? 1-2
WHERE TO BEGIN 1-2
AVOIDING TROUBLE 1-2
MAINTENANCE OR REPAIR? 1-2
DIRECTIONS AND LOCATIONS 1-2
PROFESSIONAL HELP 1-2
PURCHASING PARTS 1-3
AVOIDING THE MOST COMMON MISTAKES 1-3
BOATING SAFETY 1-4
REGULATIONS FOR YOUR BOAT 1-4
DOCUMENTING OF VESSELS 1-4
REGISTRATION OF BOATS 1-4
NUMBERING OF VESSELS 1-4
SALES AND TRANSFERS 1-4
HULL IDENTIFICATION NUMBER 1-4
LENGTH OF BOATS 1-4
CAPACITY INFORMATION 1-4
CERTIFICATE OF COMPLIANCE 1-4
VENTILATION 1-5
VENTILATION SYSTEMS 1-5
REQUIRED SAFETY EQUIPMENT 1-5
TYPES OF FIRES 1-5
FIRE EXTINGUISHERS 1-5
WARNING SYSTEM 1-7
PERSONAL FLOTATION DEVICES 1-7
SOUND PRODUCING DEVICES 1-9
VISUAL DISTRESS SIGNALS 1-9
EQUIPMENT NOT REQUIRED BUT RECOMMENDED 1-10
SECOND MEANS OF PROPULSION 1-10
BAILING DEVICES 1-10
FIRST AID KIT 1-10
ANCHORS 1-10
VHF-FM RADIO 1-11
TOOLS AND SPARE PARTS 1-11
COURTESY MARINE EXAMINATIONS 1-11
SAFETY IN SERVICE 1-12
DO'S 1-12
DON'TS 1-12

1

GENERAL INFORMATION AND BOATING SAFETY

HOW TO USE THIS MANUAL 1-2
BOATING SAFETY 1-4
SAFETY IN SERVICE 1-12

HOW TO USE THIS MANUAL

This manual is designed to be a handy reference guide to maintaining and repairing your Suzuki 2-stroke outboard. We strongly believe that regardless of how many or how few years experience you may have, there is something new waiting here for you.

This manual covers the topics that a factory service manual (designed for factory trained mechanics) and a manufacturer owner's manual (designed more by lawyers these days) covers. It will take you through the basics of maintaining and repairing your outboard, step-by-step, to help you understand what the factory trained mechanics already know by heart. By using the information in this manual, any boat owner should be able to make better informed decisions about what they need to do to maintain and enjoy their outboard.

Even if you never plan on touching a wrench (and if so, we hope that you will change your mind), this manual will still help you understand what a mechanic needs to do in order to maintain your engine.

Can You Do It?

If you are not the type who is prone to taking a wrench to something, NEVER FEAR. The procedures in this manual cover topics at a level virtually anyone will be able to handle. And just the fact that you purchased this manual shows your interest in better understanding your outboard.

You may find that maintaining your outboard yourself is preferable in most cases. From a monetary standpoint, it could also be beneficial. The money spent on hauling your boat to a marina and paying a tech to service the engine could buy you fuel for a whole weekend's boating. If you are unsure of your own mechanical abilities, at the very least you should fully understand what a marine mechanic does to your boat. You may decide that anything other than maintenance and adjustments should be performed by a mechanic (and that's your call), but know that every time you board your boat, you are placing faith in the mechanic's work and trusting him or her with your well-being, and maybe your life.

It should also be noted that in most areas a factory trained mechanic will command a hefty hourly rate for off site service. This hourly rate is charged from the time they leave their shop to the time they return home. The cost savings in doing the job yourself should be readily apparent at this point.

Where to Begin

Before spending any money on parts, and before removing any nuts or bolts, read through the entire procedure or topic. This will give you the overall view of what tools and supplies will be required to perform the procedure or what questions need to be answered before purchasing parts. So read ahead and plan ahead. Each operation should be approached logically and all procedures thoroughly understood before attempting any work.

Avoiding Trouble

Some procedures in this manual may require you to "label and disconnect . . ." a group of lines, hoses or wires. Don't be lulled into thinking you can remember where everything goes — you won't. If you reconnect or install a part incorrectly, things may operate poorly, if at all. If you hook up electrical wiring incorrectly, you may instantly learn a very, very expensive lesson.

A piece of masking tape, for example, placed on a hose and another on its fitting will allow you to assign your own label such as the letter "A", or a short name. As long as you remember your own code, the lines can be reconnected by matching letters or names. Do remember that tape will dissolve when saturated in fluids. If a component is to be washed or cleaned, use another method of identification. A permanent felt-tipped marker can be very handy for marking metal parts; but remember that fluids will remove permanent marker.

SAFETY is the most important thing to remember when performing maintenance or repairs. Be sure to read the information on safety in this manual.

Maintenance or Repair?

Proper maintenance is the key to long and trouble-free engine life, and the work can yield its own rewards. A properly maintained engine performs better than one that is neglected. As a conscientious boat owner, set aside a Saturday morning, at least once a month, to perform a thorough check of items which could cause problems. Keep your own personal log to jot down which services you performed, how much the parts cost you, the date, and the amount of hours on the engine at the time. Keep all receipts for parts purchased, so that they may be referred to in case of related problems or to determine operating expenses. As a do-it-yourselfer, these receipts are the only proof you have that the required maintenance was performed. In the event of a warranty problem, these receipts will be invaluable.

It's necessary to mention the difference between maintenance and repair. Maintenance includes routine inspections, adjustments, and replacement of parts that show signs of normal wear. Maintenance compensates for wear or deterioration. Repair implies that something has broken or is not working. A need for repair is often caused by lack of maintenance.

For example: draining and refilling the engine oil is maintenance recommended by all manufacturers at specific intervals. Failure to do this can allow internal corrosion or damage and impair the operation of the engine, requiring expensive repairs. While no maintenance program can prevent items from breaking or wearing out, a general rule can be stated: MAINTENANCE IS CHEAPER THAN REPAIR.

Directions and Locations

See Figure 1

Two basic rules should be mentioned here. First, whenever the Port side of the engine (or boat) is referred to, it is meant to specify the left side of the engine when you are sitting at the helm. Conversely, the Starboard means your right side. The Bow is the front of the boat and the Stern is the rear.

Most screws and bolts are removed by turning counterclockwise, and tightened by turning clockwise. An easy way to remember this is: righty-tighty; lefty-loosey. Corny, but effective. And if you are really dense (and we have all been so at one time or another), buy a ratchet that is marked ON and OFF, or mark your own.



Fig. 1 Common terminology used for reference designation on boats of all size. These terms are used though out the manual

Professional Help

Occasionally, there are some things when working on an outboard that are beyond the capabilities or tools of the average Do-It-Yourselfer (DIYer). This shouldn't include most of the topics of this manual, but you will have to be the judge. Some engines require special tools or a selection of special parts, even for basic maintenance.

Talk to other boaters who use the same model of engine and speak with a trusted marina to find if there is a particular system or component on your engine that is difficult to maintain. For example, although the technique of valve adjustment on some engines may be easily understood and even performed by a DIYer, it might require a handy assortment of shims in various sizes and a few hours of disassembly to get to that point. Not having the assortment of shims handy might mean multiple trips back and forth to the parts store, and this might not be worth your time.

You will have to decide for yourself where basic maintenance ends and where professional service should begin. Take your time and do your research first (starting with the information in this manual) and then make your own decision. If you really don't feel comfortable with attempting a procedure, DON'T DO IT. If you've gotten into something that may be over your head, don't panic. Tuck your tail between your legs and call a marine mechanic. Marinas and independent shops will be able to finish a job for you. Your ego may be damaged, but your boat will be properly restored to its full running order. So, as long as you approach jobs slowly and carefully, you really have nothing to lose and everything to gain by doing it yourself.

Purchasing Parts

See Figures 2 and 3

When purchasing parts there are two things to consider. The first is quality and the second is to be sure to get the correct part for your engine. To get quality parts, always deal directly with a reputable retailer. To get the proper parts always refer to the information tag on your engine prior to calling the parts counter. An incorrect part can adversely affect your engine performance and fuel economy, and will cost you more money and aggravation in the end.

Just remember, a tow back to shore will cost plenty. That charge is per hour from the time the towboat leaves their home port, to the time they return to their home port. Get the picture. . . .$$$?

So who should you call for parts? Well, there are many sources for the parts you will need. Where you shop for parts will be determined by what kind of parts you need, how much you want to pay, and the types of stores in your neighborhood.

Your marina can supply you with many of the common parts you require. Using a marina for as your parts supplier may be handy because of location (just walk right down the dock) or because the marina specializes in your particular brand of engine. In addition, it is always a good idea to get to know the marina staff (especially the marine mechanic).

The marine parts jobber, who is usually listed in the yellow pages or whose name can be obtained from the marina, is another excellent source for parts. In addition to supplying local marinas, they also do a sizeable business in over-the-counter parts sales for the do-it-yourselfer.

Almost every community has one or more convenient marine chain stores. These stores often offer the best retail prices and the convenience of one-stop shopping for all your needs. Since they cater to the do-it-yourselfer, these stores are almost always open weeknights, Saturdays, and Sundays, when the jobbers are usually closed.



05001P01

Fig. 2 By far the most important asset in purchasing parts is a knowledgeable and enthusiastic parts person



04971P12

Fig. 3 Parts catalogs, giving application and part number information, are provided by manufacturers for most replacement parts

The lowest prices for parts are most often found in discount stores or the auto department of mass merchandisers. Parts sold here are name and private brand parts bought in huge quantities, so they can offer a competitive price. Private brand parts are made by major manufacturers and sold to large chains under a store label.

Avoiding the Most Common Mistakes

There are 3 common mistakes in mechanical work:

1. Incorrect order of assembly, disassembly or adjustment. When taking something apart or putting it together, performing steps in the wrong order usually just costs you extra time; however, it CAN break something. Read the entire procedure before beginning disassembly. Perform everything in the order in which the instructions say you should, even if you can't immediately see a reason for it. When you're taking apart something that is very intricate, you might want to draw a picture of how it looks when assembled at one point in order to make sure you get everything back in its proper position. When making adjustments, perform them in the proper order; often, one adjustment affects another, and you cannot expect satisfactory results unless each adjustment is made only when it cannot be changed by another.

2. Overtorquing (or undertorquing). While it is more common for overtorquing to cause damage, undertorquing may allow a fastener to vibrate loose causing serious damage. Especially when dealing with aluminum parts, pay attention to torque specifications and utilize a torque wrench in assembly. If a torque figure is not available, remember that if you are using the right tool to perform the job, you will probably not have to strain yourself to get a fastener tight enough. The pitch of most threads is so slight that the tension you put on the wrench will be multiplied many times in actual force on what you are tightening.

3. Crossthreading. This occurs when a part such as a bolt is screwed into a nut or casting at the wrong angle and forced. Crossthreading is more likely to occur if access is difficult. It helps to clean and lubricate fasteners, then to start threading with the part to be installed positioned straight in. Always start a fastener, etc. with your fingers. If you encounter resistance, unscrew the part and start over again at a different angle until it can be inserted and turned several times without much effort. Keep in mind that some parts may have tapered threads, so that gentle turning will automatically bring the part you're threading to the proper angle, but only if you don't force it or resist a change in angle. Don't put a wrench on the part until it has been tightened a couple of turns by hand. If you suddenly encounter resistance, and the part has not seated fully, don't force it. Pull it back out to make sure it's clean and threading properly.

BOATING SAFETY

In 1971 Congress ordered the U.S. Coast Guard to improve recreational boating safety. In response, the Coast Guard drew up a set of regulations.

Beside these federal regulations, there are state and local laws you must follow. These sometimes exceed the Coast Guard requirements. This section discusses only the federal laws. State and local laws are available from your local Coast Guard. As with other laws, "Ignorance of the boating laws is no excuse." The rules fall into two groups: regulations for your boat and required safety equipment on your boat.

Regulations For Your Boat

Most boats on waters within Federal jurisdiction must be registered or documented. These waters are those that provide a means of transportation between two or more states or to the sea. They also include the territorial waters of the United States.

DOCUMENTING OF VESSELS

A vessel of five or more net tons may be documented as a yacht. In this process, papers are issued by the U.S. Coast Guard as they are for large ships. Documentation is a form of national registration. The boat must be used solely for pleasure. Its owner must be a U.S. citizen, a partnership of U.S. citizens, or a corporation controlled by U.S. citizens. The captain and other officers must also be U.S. citizens. The crew need not be.

If you document your yacht, you have the legal authority to fly the yacht ensign. You also may record bills of sale, mortgages, and other papers of title with federal authorities. Doing so gives legal notice that such instruments exist. Documentation also permits preferred status for mortgages. This gives you additional security and aids financing and transfer of title. You must carry the original documentation papers aboard your vessel. Copies will not suffice.

REGISTRATION OF BOATS

If your boat is not documented, registration in the state of its principal use is probably required. If you use it mainly on an ocean, a gulf, or other similar water, register it in the state where you moor it.

If you use your boat solely for racing, it may be exempt from the requirement in your state. States may also exclude dinghies. Some require registration of documented vessels and non-power driven boats.

All states, except Alaska, register boats. In Alaska, the U.S. Coast Guard issues the registration numbers. If you move your vessel to a new state of principal use, a valid registration certificate is good for 60 days. You must have the registration certificate (certificate of number) aboard your vessel when it is in use. A copy will not suffice. You may be cited if you do not have the original on board.

NUMBERING OF VESSELS

A registration number is on your registration certificate. You must paint or permanently attach this number to both sides of the forward half of your boat. Do not display any other number there.

The registration number must be clearly visible. It must not be placed on the obscured underside of a flared bow. If you can't place the number on the bow, place it on the forward half of the hull. If that doesn't work, put it on the superstructure. Put the number for an inflatable boat on a bracket or fixture. Then, firmly attach it to the forward half of the boat. The letters and numbers must be plain block characters and must read from left to right. Use a space or a hyphen to separate the prefix and suffix letters from the numerals. The color of the characters must contrast with that of the background, and they must be at least three inches high.

In some states your registration is good for only one year. In others, it is good for as long as three years. Renew your registration before it expires. At that time you will receive a new decal or decals. Place them as required by state law. You should remove old decals before putting on the new ones. Some states require that you show only the current decal or decals. If your vessel is moored, it must have a current decal even if it is not in use.

If your vessel is lost, destroyed, abandoned, stolen, or transferred, you must inform the issuing authority. If you lose your certificate of number or your address changes, notify the issuing authority as soon as possible.

SALES AND TRANSFERS

Your registration number is not transferable to another boat. The number stays with the boat unless its state of principal use is changed.

HULL IDENTIFICATION NUMBER

A Hull Identification Number (HIN) is like the Vehicle Identification Number (VIN) on your car. Boats built between November 1, 1972 and July 31, 1984 have old format HINs. Since August 1, 1984 a new format has been used.

Your boat's HIN must appear in two places. If it has a transom, the primary number is on its starboard side within two inches of its top. If it does not have a transom or if it was not practical to use the transom, the number is on the starboard side. In this case, it must be within one foot of the stern and within two inches of the top of the hull side. On pontoon boats, it is on the aft crossbeam within one foot of the starboard hull attachment. Your boat also has a duplicate number in an unexposed location. This is on the boat's interior or under a fitting or item of hardware.

LENGTH OF BOATS

For some purposes, boats are classed by length. Required equipment, for example, differs with boat size. Manufacturers may measure a boat's length in several ways. Officially, though, your boat is measured along a straight line from its bow to its stern. This line is parallel to its keel.

The length does not include bowsprits, boomkins, or pulpits. Nor does it include rudders, brackets, outboard motors, outdrives, diving platforms, or other attachments.

CAPACITY INFORMATION

See Figure 4

Manufacturers must put capacity plates on most recreational boats less than 20 feet long. Sailboats, canoes, kayaks, and inflatable boats are usually exempt. Outboard boats must display the maximum permitted horsepower of their engines. The plates must also show the allowable maximum weights of the people on board. And they must show the allowable maximum combined weights of people, engines, and gear. Inboards and stern drives need not show the weight of their engines on their capacity plates. The capacity plate must appear where it is clearly visible to the operator when underway. This information serves to remind you of the capacity of your boat under normal circumstances. You should ask yourself, "Is my boat loaded above its recommended capacity" and, "Is my boat overloaded for the present sea and wind conditions?" If you are stopped by a legal authority, you may be cited if you are overloaded.


U.S. COAST GUARD CAPACITY INFORMATION
MAXIMUM PERSON CAPACITY
MAXIMUM WEIGHT CAPACITY (PERSONS AND GEAR)
POUNDS
THIS BOAT COMPLIES WITH U. S. COAST GUARD SAFETY STANDARDS IN EFFECT ON THE DATE OF CERTIFICATION
BAHAMA INDUSTRIES, INC.
5612 LA PALMA ST. ANAHEIM, CALIF. 92807
04701P20

Fig. 4 A U.S. Coast Guard certification plate indicates the amount of occupants and gear appropriate for safe operation of the vessel

CERTIFICATE OF COMPLIANCE

Manufacturers are required to put compliance plates on motorboats greater than 20 feet in length. The plates must say, "This boat," or "This equipment